

# DECLARATION OF CONFORMITY

## DS/EN14351-1:2006 and DS/EN1873



We, VITRAL A/S, Havremarken 4, 3650 Ølstykke, Denmark, hereby declare on our own risk that the following product:

- **VITRAL Skyvision roof light**

is covered of this declaration, and is in accordance with the EEC Construction Product Directive (89/106/EES, 93/68/EEC)), and that the standard and/or technical specifications below have been applied:

- **DS/EN14351-1 Windows and doors – Product standard, performance characteristics – Part 1: Windows and external pedestrian doorsets without resistance to fire and/or smoke leakage characteristics**
- **DS/EN1873 Prefabricated accessories for roofing – Individual roof lights of plastics – Product specification and test methods**


Test method	Test purpose	Characteristics/ Dimension	Classification	Test Institute
EN 1873	Water tightness	Passed / Failed	Passed	1
DS/EN ISO 717-1	Acoustic performance	Sound insulation (dB)	34 (-2; -6) dB	2
EN/ISO 10077-1 EN/ISO 10077-2 EN673 DS418	Thermal transmission coefficient Transmission area	$U_w$ (W/m <sup>2</sup> K) m <sup>2</sup>	1.24 W/m <sup>2</sup> K 2,93 m <sup>2</sup>	1
EN12207 EN1026 (2000)	Air tightness	Max. test pressure (Pa)	Class 4 (600 Pa)	1

Test institutes:

1. Technological Institute, Kongsvang Allé 29, 8000 Århus C, Denmark.
2. DELTA, Erhvervsvej 2A, 8653 Them, Denmark

VITRAL A/S is ISO 9001:2000 audited and certified by Dansk Standard Certificering A/S, Kollegievej 6, 29020 Charlottenlund, Denmark

Ølstykke, 10<sup>th</sup> September 2009

  
Jens Borelli-Kjær  
Managing director