



Windows and patio doors

Fönster och fönsterdörrar

For use in domestic and commercial locations

Användningsområde: Bostäder och lokaler

Declaration of Performance

Prestandadeklaration

DP 1013-1

2013-06-18



EN 14351-1:2006+A1:2010

	Page/sid.
LIF Side-hung Windows <i>Sidohängda fönster</i>	2
LKF Tilt/turn Windows <i>Kipp/dreh-fönster</i>	4
LID Inward Opening Patio Doors <i>Inåtgående fönsterdörrar</i>	6
LUD Outward Opening Patio Doors <i>Utåtgående fönsterdörrar</i>	8
LFU Fixed Lights <i>Fasta fönster</i>	10
LFI Fixed Lights, glazed internally <i>Fasta fönster, inv. glasning</i>	10

LEIAB

Fagersjögatan 3

S-598 97 Mariannelund

Sweden

www.leiab.se / www.leiab.co.uk

Characteristics <i>Egenskaper</i>	LIF781	LIF951	LIF831	LIF1001	LIF1101	LIF1271	LIF783	LIF953	LIF833	LIF1003	LIF1103	LIF1273
4.2 Resistance to wind load <i>Motståndsförmåga mot vindlast, SS-EN 12210</i>	Class C3	Class C3	Class C3	Class C3	Class C3	Class C3	Class C3	Class C3	Class C3	Class C3	Class C3	Class C3
4.3 Resistance to snow and permanent load <i>Motstånd mot snö och statisk last</i>	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
4.4 Fire characteristics <i>Reaktion vid brand</i>	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
4.5 Watertightness <i>Regntäthet, SS-EN 12208</i>	Class 9A	Class 9A	Class 9A	Class 9A	Class 9A	Class 9A	Class 9A	Class 9A	Class 9A	Class 9A	Class 9A	Class 9A
4.6 Dangerous substances <i>Farliga ämnen</i>	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
4.7 Impact resistance <i>Mjuk och tung stöt</i>	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
4.8 Load-bearing capacity of safety devices <i>Belastningsförmåga hos säkerhetsbeslag</i>	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
4.11 Acoustic performance <i>Ljudisolering, R_w (dB)</i>	41-44 ¹⁾	41-49 ¹⁾	41-44 ¹⁾	41-48 ¹⁾	41-43 ¹⁾	41-48 ¹⁾	35-39 ¹⁾	35-39 ¹⁾	35-39 ¹⁾	35-39 ¹⁾	35-39 ¹⁾	35-39 ¹⁾
4.12 Thermal transmittance (W/m^2K) <i>Värme genomgång, U-värde</i>	1,1-1,2 ¹⁾	0,95-1,1 ¹⁾	1,0-1,2 ¹⁾	0,9-1,1 ¹⁾	1,1-1,3 ¹⁾	1,0-1,2 ¹⁾	1,2-1,5 ¹⁾	1,0-1,3 ¹⁾	1,2-1,5 ¹⁾	1,0-1,3 ¹⁾	1,2-1,5 ¹⁾	1,0-1,3 ¹⁾
4.13 Radiation properties <i>Ljustransmission, LT / Solenergitransmission, g</i>	73/57 ¹⁾	73/57 ¹⁾	73/57 ¹⁾	73/57 ¹⁾	73/57 ¹⁾	73/57 ¹⁾	73/57 ¹⁾	73/57 ¹⁾	73/57 ¹⁾	73/57 ¹⁾	73/57 ¹⁾	73/57 ¹⁾
4.14 Air permeability <i>Lufttäthet, SS-EN 12207</i>	Class 4	Class 4	Class 4	Class 4	Class 4	Class 4	Class 4	Class 4	Class 4	Class 4	Class 4	Class 4
4.15 Durability <i>Hållbarhet</i>	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD

Characteristics <i>Egenskaper</i>	LIF781	LIF951	LIF831	LIF1001	LIF1101	LIF1271	LIF783	LIF953	LIF833	LIF1003	LIF1103	LIF1273
4.16 Operating forces <i>Manövreringskrafter, SS-EN 13115</i>	Class 1	Class 1	Class 1	Class 1	Class 1	Class 1	Class 1	Class 1	Class 1	Class 1	Class 1	Class 1
4.17 Mechanical strength <i>Mekaniska egenskaper</i>	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
4.18 Ventilation <i>Ventilation</i>	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
4.19 Bullet resistance <i>Skottsäkerhet</i>	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
4.20 Explosion resistance <i>Säkerhet vid explosion</i>	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
4.21 Resistance to repeated opening and closing <i>Mekanisk livslängd</i>	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
4.22 Behaviour between different climates <i>Egenskaper vid olika klimat</i>	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
4.23 Burglar resistance <i>Inbrottssäkerhet</i>	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD

NPD = No performance determined (Prestanda ej fastställd)

¹⁾ The values are dependent upon glazing specification / Värdena varierar beroende på glasval

Characteristics <i>Egenskaper</i>	LKF781	LKF951	LKF831	LKF1001	LKF1101	LKF1271	LKF783	LKF953	LKF833	LKF1003	LKF1103	LKF1273
4.2 Resistance to wind load <i>Motståndsförmåga mot vindlast, SS-EN 12210</i>	Class C3	Class C3	Class C3	Class C3	Class C3	Class C3	Class C3	Class C3	Class C3	Class C3	Class C3	Class C3
4.3 Resistance to snow and permanent load <i>Motstånd mot snö och statisk last</i>	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
4.4 Fire characteristics <i>Reaktion vid brand</i>	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
4.5 Watertightness <i>Regntäthet, SS-EN 12208</i>	Class 9A	Class 9A	Class 9A	Class 9A	Class 9A	Class 9A	Class 9A	Class 9A	Class 9A	Class 9A	Class 9A	Class 9A
4.6 Dangerous substances <i>Farliga ämnen</i>	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
4.7 Impact resistance <i>Mjuk och tung stöt</i>	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
4.8 Load-bearing capacity of safety devices <i>Belastningsförmåga hos säkerhetsbeslag</i>	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
4.11 Acoustic performance <i>Ljudisolering, R_w (dB)</i>	41-44 ¹⁾	41-49 ¹⁾	41-44 ¹⁾	41-48 ¹⁾	41-43 ¹⁾	41-48 ¹⁾	35-39 ¹⁾	35-39 ¹⁾	35-39 ¹⁾	35-39 ¹⁾	35-39 ¹⁾	35-39 ¹⁾
4.12 Thermal transmittance (W/m^2K) <i>Värme genomgång, U-värde</i>	1,1-1,2 ¹⁾	0,95-1,1 ¹⁾	1,0-1,2 ¹⁾	0,9-1,1 ¹⁾	1,1-1,3 ¹⁾	1,0-1,2 ¹⁾	1,2-1,5 ¹⁾	1,0-1,3 ¹⁾	1,2-1,5 ¹⁾	1,0-1,3 ¹⁾	1,2-1,5 ¹⁾	1,0-1,3 ¹⁾
4.13 Radiation properties <i>Ljustransmission, LT / Solenergitransmission, g</i>	73/57 ¹⁾	73/57 ¹⁾	73/57 ¹⁾	73/57 ¹⁾	73/57 ¹⁾	73/57 ¹⁾	73/57 ¹⁾	73/57 ¹⁾	73/57 ¹⁾	73/57 ¹⁾	73/57 ¹⁾	73/57 ¹⁾
4.14 Air permeability <i>Lufttäthet, SS-EN 12207</i>	Class 4	Class 4	Class 4	Class 4	Class 4	Class 4	Class 4	Class 4	Class 4	Class 4	Class 4	Class 4
4.15 Durability <i>Hållbarhet</i>	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD

Characteristics <i>Egenskaper</i>	LKF781	LKF951	LKF831	LKF1001	LKF1101	LKF1271	LKF783	LKF953	LKF833	LKF1003	LKF1103	LKF1273
4.16 Operating forces <i>Manövreringskrafter, SS-EN 13115</i>	Class 1	Class 1	Class 1	Class 1	Class 1	Class 1	Class 1	Class 1	Class 1	Class 1	Class 1	Class 1
4.17 Mechanical strength <i>Mekaniska egenskaper</i>	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
4.18 Ventilation <i>Ventilation</i>	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
4.19 Bullet resistance <i>Skottsäkerhet</i>	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
4.20 Explosion resistance <i>Säkerhet vid explosion</i>	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
4.21 Resistance to repeated opening and closing <i>Mekanisk livslängd</i>	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
4.22 Behaviour between different climates <i>Egenskaper vid olika klimat</i>	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
4.23 Burglar resistance <i>Inbrottssäkerhet</i>	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD

NPD = No performance determined (Prestanda ej fastställd)

¹⁾ The values are dependent upon glazing specification / Värdena varierar beroende på glasval

Characteristics <i>Egenskaper</i>	LID781	LID951	LID831	LID1001	LID1101	LID1271	LID783	LID953	LID833	LID1003	LID1103	LID1273
4.2 Resistance to wind load <i>Motståndsförmåga mot vindlast, SS-EN 12210</i>	Class C3	Class C3	Class C3	Class C3	Class C3	Class C3	Class C3	Class C3	Class C3	Class C3	Class C3	Class C3
4.3 Resistance to snow and permanent load <i>Motstånd mot snö och statisk last</i>	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
4.4 Fire characteristics <i>Reaktion vid brand</i>	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
4.5 Watertightness <i>Regntäthet, SS-EN 12208</i>	Class 9A	Class 9A	Class 9A	Class 9A	Class 9A	Class 9A	Class 9A	Class 9A	Class 9A	Class 9A	Class 9A	Class 9A
4.6 Dangerous substances <i>Farliga ämnen</i>	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
4.7 Impact resistance <i>Mjuk och tung stöt</i>	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
4.8 Load-bearing capacity of safety devices <i>Belastningsförmåga hos säkerhetsbeslag</i>	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
4.11 Acoustic performance <i>Ljudisolering, R_w (dB)</i>	41-44 ¹⁾	41-45 ¹⁾	41-44 ¹⁾	41-45 ¹⁾	41-43 ¹⁾	41-45 ¹⁾	35-39 ¹⁾	35-39 ¹⁾	35-39 ¹⁾	35-39 ¹⁾	35-39 ¹⁾	35-39 ¹⁾
4.12 Thermal transmittance (W/m^2K) <i>Värme genomgång, U-värde</i>	1,1-1,2 ¹⁾	0,95-1,1 ¹⁾	1,0-1,2 ¹⁾	0,9-1,1 ¹⁾	1,1-1,3 ¹⁾	1,0-1,2 ¹⁾	1,2-1,5 ¹⁾	1,0-1,3 ¹⁾	1,2-1,5 ¹⁾	1,0-1,3 ¹⁾	1,2-1,5 ¹⁾	1,0-1,3 ¹⁾
4.13 Radiation properties <i>Ljustransmission, LT / Solenergitransmission, g</i>	73/57 ¹⁾	73/57 ¹⁾	73/57 ¹⁾	73/57 ¹⁾	73/57 ¹⁾	73/57 ¹⁾	73/57 ¹⁾	73/57 ¹⁾	73/57 ¹⁾	73/57 ¹⁾	73/57 ¹⁾	73/57 ¹⁾
4.14 Air permeability <i>Lufttäthet, SS-EN 12207</i>	Class 4	Class 4	Class 4	Class 4	Class 4	Class 4	Class 4	Class 4	Class 4	Class 4	Class 4	Class 4
4.15 Durability <i>Hållbarhet</i>	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD

Characteristics <i>Egenskaper</i>	LID781	LID951	LID831	LID1001	LID1101	LID1271	LID783	LID953	LID833	LID1003	LID1103	LID1273
4.16 Operating forces <i>Manövreringskrafter, SS-EN 13115</i>	Class 1	Class 1	Class 1	Class 1	Class 1	Class 1	Class 1	Class 1	Class 1	Class 1	Class 1	Class 1
4.17 Mechanical strength <i>Mekaniska egenskaper</i>	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
4.18 Ventilation <i>Ventilation</i>	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
4.19 Bullet resistance <i>Skottsäkerhet</i>	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
4.20 Explosion resistance <i>Säkerhet vid explosion</i>	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
4.21 Resistance to repeated opening and closing <i>Mekanisk livslängd</i>	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
4.22 Behaviour between different climates <i>Egenskaper vid olika klimat</i>	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
4.23 Burglar resistance <i>Inbrottssäkerhet</i>	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD

NPD = No performance determined (Prestanda ej fastställd)

¹⁾ The values are dependent upon glazing specification / Värdena varierar beroende på glasval

Characteristics <i>Egenskaper</i>	LUD781	LUD951	LUD831	LUD1001	LUD1101	LUD1271	LUD783	LUD953	LUD833	LUD1003	LUD1103	LUD1273
4.2 Resistance to wind load <i>Motståndsförmåga mot vindlast, SS-EN 12210</i>	Class C3	Class C3	Class C3	Class C3	Class C3	Class C3	Class C3	Class C3	Class C3	Class C3	Class C3	Class C3
4.3 Resistance to snow and permanent load <i>Motstånd mot snö och statisk last</i>	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
4.4 Fire characteristics <i>Reaktion vid brand</i>	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
4.5 Watertightness <i>Regntäthet, SS-EN 12208</i>	Class 9A	Class 9A	Class 9A	Class 9A	Class 9A	Class 9A	Class 9A	Class 9A	Class 9A	Class 9A	Class 9A	Class 9A
4.6 Dangerous substances <i>Farliga ämnen</i>	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
4.7 Impact resistance <i>Mjuk och tung stöt</i>	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
4.8 Load-bearing capacity of safety devices <i>Belastningsförmåga hos säkerhetsbeslag</i>	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
4.11 Acoustic performance <i>Ljudisolering, R_w (dB)</i>	38-42 ¹⁾	38-42 ¹⁾	38-42 ¹⁾	38-42 ¹⁾	38-42 ¹⁾	38-42 ¹⁾	33-37 ¹⁾	33-37 ¹⁾	33-37 ¹⁾	33-37 ¹⁾	33-37 ¹⁾	33-37 ¹⁾
4.12 Thermal transmittance (W/m^2K) <i>Värme genomgång, U-värde</i>	1,1-1,3 ¹⁾	1,0-1,2 ¹⁾	1,1-1,3 ¹⁾	1,0-1,2 ¹⁾	1,0-1,2 ¹⁾	1,0-1,2 ¹⁾	1,4-1,6 ¹⁾	1,3-1,5 ¹⁾	1,4-1,6 ¹⁾	1,3-1,5 ¹⁾	1,2-1,5 ¹⁾	1,2-1,5 ¹⁾
4.13 Radiation properties <i>Ljustransmission, LT / Solenergitransmission, g</i>	73/57 ¹⁾	73/57 ¹⁾	73/57 ¹⁾	73/57 ¹⁾	73/57 ¹⁾	73/57 ¹⁾	73/57 ¹⁾	73/57 ¹⁾	73/57 ¹⁾	73/57 ¹⁾	73/57 ¹⁾	73/57 ¹⁾
4.14 Air permeability <i>Lufttäthet, SS-EN 12207</i>	Class 4	Class 4	Class 4	Class 4	Class 4	Class 4	Class 4	Class 4	Class 4	Class 4	Class 4	Class 4
4.15 Durability <i>Hållbarhet</i>	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD

Characteristics <i>Egenskaper</i>	LUD781	LUD951	LUD831	LUD1001	LUD1101	LUD1271	LUD783	LUD953	LUD833	LUD1003	LUD1103	LUD1273
4.16 Operating forces <i>Manövreringskrafter, SS-EN 13115</i>	Class 1	Class 1	Class 1	Class 1	Class 1	Class 1	Class 1	Class 1	Class 1	Class 1	Class 1	Class 1
4.17 Mechanical strength <i>Mekaniska egenskaper</i>	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
4.18 Ventilation <i>Ventilation</i>	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
4.19 Bullet resistance <i>Skottsäkerhet</i>	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
4.20 Explosion resistance <i>Säkerhet vid explosion</i>	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
4.21 Resistance to repeated opening and closing <i>Mekanisk livslängd</i>	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
4.22 Behaviour between different climates <i>Egenskaper vid olika klimat</i>	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD
4.23 Burglar resistance <i>Inbrottssäkerhet</i>	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD

NPD = No performance determined (Prestanda ej fastställd)

¹⁾ The values are dependent upon glazing specification / Värdena varierar beroende på glasval

Characteristics <i>Egenskaper</i>	LFU783	LFU953	LFU833	LFU1003	LFI783	LFI953	LFI833	LFI1003	LFI1103	LFI1273		
4.2 Resistance to wind load <i>Motståndsförmåga mot vindlast, SS-EN 12210</i>	Class C3	Class C3	Class C3	Class C3	Class C3	Class C3	Class C3	Class C3	Class C3	Class C3		
4.3 Resistance to snow and permanent load <i>Motstånd mot snö och statisk last</i>	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD		
4.4 Fire characteristics <i>Reaktion vid brand</i>	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD		
4.5 Watertightness <i>Regntäthet, SS-EN 12208</i>	Class 9A	Class 9A	Class 8A	Class 8A	Class 9A	Class 9A	Class 9A	Class 9A	Class 9A	Class 9A		
4.6 Dangerous substances <i>Farliga ämnen</i>	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD		
4.7 Impact resistance <i>Mjuk och tung stöt</i>	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD		
4.8 Load-bearing capacity of safety devices <i>Belastningsförmåga hos säkerhetsbeslag</i>	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD		
4.11 Acoustic performance <i>Ljudisolering, R_w (dB)</i>	33-39 ¹⁾	33-46 ¹⁾	33-39 ¹⁾	33-46 ¹⁾	33-39 ¹⁾	33-39 ¹⁾	33-39 ¹⁾	33-39 ¹⁾	33-39 ¹⁾	33-39 ¹⁾		
4.12 Thermal transmittance (W/m^2K) <i>Värmeigenomgång, U-värde</i>	1,1-1,4 ¹⁾	0,9-1,2 ¹⁾	1,1-1,5 ¹⁾	0,9-1,3 ¹⁾	1,2-1,5 ¹⁾	1,0-1,3 ¹⁾	1,2-1,5 ¹⁾	1,0-1,3 ¹⁾	1,2-1,5 ¹⁾	1,0-1,3 ¹⁾		
4.13 Radiation properties <i>Ljustransmission, LT / Solenergitransmission, g</i>	73/57 ¹⁾	73/57 ¹⁾	73/57 ¹⁾	73/57 ¹⁾	73/57 ¹⁾	73/57 ¹⁾	73/57 ¹⁾	73/57 ¹⁾	73/57 ¹⁾	73/57 ¹⁾		
4.14 Air permeability <i>Lufttäthet, SS-EN 12207</i>	Class 4	Class 4	Class 4	Class 4	Class 4	Class 4	Class 4	Class 4	Class 4	Class 4		
4.15 Durability <i>Hållbarhet</i>	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD		

Characteristics <i>Egenskaper</i>	LFU783	LFU953	LFU833	LFU1003	LFI783	LFI953	LFI833	LFI1003	LFI1103	LFI1273		
4.16 Operating forces <i>Manövreringskrafter, SS-EN 13115</i>	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD		
4.17 Mechanical strength <i>Mekaniska egenskaper</i>	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD		
4.18 Ventilation <i>Ventilation</i>	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD		
4.19 Bullet resistance <i>Skottsäkerhet</i>	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD		
4.20 Explosion resistance <i>Säkerhet vid explosion</i>	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD		
4.21 Resistance to repeated opening and closing <i>Mekanisk livslängd</i>	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD		
4.22 Behaviour between different climates <i>Egenskaper vid olika klimat</i>	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD		
4.23 Burglar resistance <i>Inbrottssäkerhet</i>	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD		

NPD = No performance determined (Prestanda ej fastställd)

¹⁾ The values are dependent upon glazing specification / Värdena varierar beroende på glasval